

## INSTITUTE FOR CHILDREN'S ENVIRONMENTAL HEALTH

LOOKING UPSTREAM: COLLABORATING TO PREVENT TOXIC THREATS

TO CHILD DEVELOPMENT

Washington State Public Health Association Meeting
October 4, 2004

\_\_\_\_\_


Elise Miller, M.Ed., Executive Director Institute for Children's Environmental Health 1646 Dow Road, Freeland, WA 98249

Ph: 360-331-7904; Fax: 360-331-7908

emiller@iceh.org; www.iceh.org

### Summary Slide

■ Topic 1



#### **CONCERNING STATISTICS**

- CHILDHOOD ASTHMA-doubled since 1980 and tripled for kids under the age of five (two CDC studies in 1996, 1998)
- BIRTH DEFECTS-remains leading cause of infant death (CDC, 1998)
- CHILDHOOD LEUKEMIA AND BRAIN CANCER-have been increasing since the 1970s (J. Natl Cancer Inst, 1999)
- LEARNING AND DEVELOPMENTAL DISABILITIES COMBINEDest. 12 million children in U.S. suffer from one or more learning, developmental or behavioral disorder (J. of Pediatrics,1994)
- MENTAL RETARDATION-affects 1.4 million children under 18 (AAMR, 2003)
- AUTISM SPECTRUM DISORDER affects 450,000 children under the age of 18 and appears to be 10x more prevalent than in the 1980s (JAMA, 2003)

### **Costs to Society**

- Illiteracy
- Drop-out rate
- Crime
- Violence & abuse
- Unemployment
- Health care
- Special education



#### Economic Costs of Pediatric Environmental Diseases

Estimated Costs of Pediatric Disease of Environmental Origin, United States, 1997 (billions)


: _		Best Estimate	Low Estimate	High Estimate
	<b>Lead Poisoning</b>	\$43.4	\$43.4	\$43.4
	Asthma	\$2.0	<b>\$0.7</b>	\$2.3
	Cancer	<b>\$0.3</b>	<b>\$0.2</b>	<b>\$0.7</b>
	Neurobehavioral Disorders	<b>\$9.2</b>	<b>\$4.6</b>	\$18.4
	TOTAL	\$54.9	\$48.8	\$64.8

(From "Environmental Pollutants and Disease in American Children," Landrigan, Schechter, et.al., 1997)

### New study in MA

- Costs of Preventable Childhood Illness: The Price We Pay for Pollution, Rachel Massey, MSc, MPA & Frank Ackerman, PhD, 9/03. (http://ase.tufts.edu/gdae)
  - Estimate of direct and indirect costs ranges from \$1.1 to \$1.6 billion annually in Massachusetts.

#### FRAMEWORK FOR UNDERSTANDING



# 80,000 chemicals put on market since WW II



- Of 15,000 most in use, no toxicity data for 43 % (EPA)
- Complete neurotoxic data for only 12 chemicals (EPA)
- 1.2 5 billion tons
   of chemicals
   discharged annually
   in the U.S.
- 1500 -2500 new chemicals each year

# How Are People Exposed to Toxic Chemicals?




- Air, water and food
- Some toxicants are persistent in the environment and bioaccumulate
- Dispersion of chemicals is global-we all live downstream

### **Child Health Exposures**

#### Prenatal

- developmental windows
- transplacental



#### Post natal

- pound per pound children eat, drink and breath far more than adults
- prolonged gastric emptying
- increased metabolic rate
- increased time indoors & on floors
- breast milk

# Known Neurodevelopmental Toxicants

#### Includes certain:

- Pesticides
- Solvents
- Dioxins and PCBs
- Metals (lead, mercury, cadmium, manganese)
- Alcohol
- Nicotine



#### **Examples of Chemical Effects**

- Fetal mercury exposure may impair learning, memory and attention
- Solvents may adversely impact motor and cognitive skills
- Dioxin and PCBs affect brain development and function
- Small exposures to some pesticides at certain times can permanently alter brain activity

### Yaqui Indian Study

- Effects of pesticide exposure on kids' development
- Controlled study of Yaquis using pesticides and those that do not
- Exposed kids had diminished stamina, poor memory impairment and drew distorted pictures

Elizabeth Guillette, Ph.D., University of Arizona

### Chronic Pesticide Exposure




Figure 2. Representative drawings of a person by 5-year-old Yaqui children from the valley and foothills of Sonora, Mexico.

(Guillette, et. al., An Anthropological Approach to the Evaluation of Preschool Children Exposed to Pesticides in Mexico, Environmental Health Perspectives, Vol. 106, No. 6, June 1998)

# Another example: PCB Effects on Thyroid Hormone

Altered thyroid hormone

Mothers: Thyroid Hormone, hyroid Stimulating


Hormone (TSH)

Infants: Thyroid Hormone, TSH

Developmental Implications


Elevated maternal TSH during pregnancy, with or without reductions of thyroid hormone, associated with reduced IQ at age 7-9 yrs.

## DECLINING THRESHOLD OF HARM - LEAD




Note: Exposures expressed in micrograms/deciliter (blood lead)


## MERCURY: Declining Threshold of Harm



# The Significance of Small Effects: Effects of a small shift in I.Q. distribution in a population of 260 million



#### 5 Point Decrease in Mean IQ



### **Precautionary Principle**



- Taking preventative action in the face of uncertainty
- Shifting the burden of proof to the proponents of an activity
- Exploring alternatives and using the least toxic alternative available
- Increasing public participation in decision-making

#### **New and Emerging Research**

- National Institute for Environmental Health Sciences (NIEHS) has opened 12 new research centers in US -\$37 million to look at pesticide impact on child behavior and developing nervous system (University of WA)
- Centers for Disease Control Second body-burden report released in January 2003 on over100 chemicals; next report due in January 2005.
- National longitudinal study to be launched pre-natal to 20-years-old review of environmental exposures and health impacts

## Learning and Developmental Disabilities Initiative

- Educating state and national learning and developmental disabilities groups.
- Raising awareness among the groups' broader constituencies through workshops, presentations and dissemination of materials.
- Cultivating opportunities for interested groups to educate policymakers on specific bills that would eliminate neurotoxicants.

SEE: www.iceh.org/lddi.html

#### **LDDI: Specific Steps Forward**

- LDA's Healthy Children's Project
  - State initiatives
  - Web site www.ldaamerica.org
- AAMR's Wingspread Conference
- LDDI Resolution
- Body Burden report on neurotoxicants
- "Practice Prevention" columns
- Policy opportunities

## Some other web sites to check out

- www.cheforhealth.org & www.partnersforchildren.org & (collaborations)
- www.igc.org/psr (research)
- www.healthyschools.org (schools)
- www.checnet.org (homes)
- www.protectingourhealth (science)
- www.childenvironment.org (science)
- www.watoxics.org (WA state)